



### **Face Material**

Gloss silver metalized polypropylene

|                   |                   |         |
|-------------------|-------------------|---------|
| Type              | BOPP film         |         |
| Colour and Finish | Metallized        |         |
| Weight            | 47 gsm $\pm$ 3%   | ISO 536 |
| Thickness         | 51 $\mu$ $\pm$ 4% | ISO 534 |

### **Adhesive**

General purpose Acrylic permanent featuring high clarity and cohesion with strong adhesion to apolar substrates (like PE and PP)

|                |                      |             |
|----------------|----------------------|-------------|
| Type           | Acrylic based        |             |
| Min. Appl.Temp | 0 $^{\circ}$ c       |             |
| Service TEMP   | -20/+80 $^{\circ}$ c |             |
| Initial Tack   | 8 N/25mm             | FINAT FTM 9 |
| Shear          | High                 | FINAT FTM18 |
| Final Adhesion | 8 N/25mm             | FINAT FTM 2 |

### **Liner**

|                   |                               |               |
|-------------------|-------------------------------|---------------|
| Type              | One side siliconised Glassine |               |
| Colour and Finish | White                         |               |
| Weight            | 60 gsm $\pm$ 5%               | ISO 536       |
| Thickness         | 55 $\mu$ $\pm$ 5%             | ISO 534       |
| Transparency      | >50%                          | DIN 53 147-46 |

### **Application**

Specially designed for logistics and promotional labels in consumer product

### **Printing Methods**

Printable with letterpress, flexo , offset and gravure.

Testing for suitability between media , printers and inks is always recommended prior to use.

### **Shelf life**

Two years under storage conditions (This material must be stored at a temperature of 23 $\pm$ 2  $^{\circ}$ c and 50 $\pm$ 5  $^{\circ}$ c of relative Humidity.)

Keep the material in the original packaging when not used in order to protect it from dust and contamination

Do not expose to direct sunlight or heat sources.